



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

receive communications from those sufficiently interested and satisfactorily located to engage in this work during their leisure time, for it is obvious that a considerable part must be done by volunteer operators. It is hoped that a sufficient number will take this up to insure the complete success of the project.

Very truly yours,

(Signed) E. W. NELSON,
Chief of Bureau.

BONAPARTE'S GULLS AND LOUISIANA HERONS CATCHING FISH

During a visit in Florida in early March, 1917, I was much interested in watching from the hotel piazza the Bonaparte's Gulls (*Larus philadelphia*) feeding in the Halifax River at Ormond Beach. The birds were said to frequent the vicinity of the hotel in order to feed on the garbage which was thrown into the water. But although this may attract them, they are by no means solely dependent on it, for I repeatedly saw a bird pursuing a school of small fish along the edge of the water, and in one or two instances made certain that it secured a living fish in its beak and swallowed it. The bird, flying just above the water, followed the fish and, on overtaking them, reached out and snapped up one, just after alighting, I think. Sometimes the bird swam after the school, and I could see the water move as the fish darted away, but even although the fish saw their pursuer, they were not always able to elude him. When the school swam out into deeper water, and presumably left the surface, the gull rose and flew along the shore until he sighted another school, when, again coming near the surface, he began to strike out at the fish.

The Louisiana Heron (*Hydranassa tricolor ruficollis*) adopted a similar method of catching fish,—also noted from the piazza of the hotel. The Heron walked slowly toward a school, with body leaning forward and head drawn partly back, and struck quickly, downward and outward. The proportion of successful strikes to failures was, during the short time I watched a bird fishing one afternoon, rather in favor of the fish.

It interested me to learn that these two birds were able to catch a fish which was startled and aware of the approach of its enemy. The skill of these birds must be remarkable,—they must possess the power of striking with great accuracy and with lightning-like speed—otherwise they would avail themselves of the advantage of attacking an unsuspecting prey, by waiting until the fish came within reach.

Lexington, Mass.

WINSOR M. TYLER, M.D.